

### Section 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

<b>Product name:</b>	<b>Big Dom! Thick Bleach</b>
<b>Product code:</b>	CLBD and CLBDS
<b>Manufacturer code:</b>	800-117-0047

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

<b>Identified uses:</b>	Cleaning agent. disinfectant
-------------------------	------------------------------

#### 1.3. Details of the supplier of the Safety Data Sheet

<b>Company name:</b>	WIPEOUT LTD Unit 45, Cookstown Industry Estate 3 <sup>rd</sup> Avenue Tallaght Dublin24 Ireland
<b>Tel:</b>	+353 (0)1 451 66 66
<b>Email:</b>	info@wipeout.ie

#### 1.4. Emergency telephone number


<b>Emergency tel:</b>	Wipeout +353 1 451 6666 (office hours 8-5) +353 (0) 86 252 8481 or The National Poisons Information Centre +353 (0)1 809 2566 or (0)1 837 9964
-----------------------	---

### Section 2. Hazards identification

#### 2.1. Classification of the substance or mixture

<b>Classification under Regulation No. 67/548/EEC or 1999/45/EC:</b>	Physical hazards: Not classified Health hazards: Skin Irrit. 2 – H315 Eye Dam.1 – H318 Environmental hazards: Aquatic Chronic 1 – H410
--	--

#### 2.2. Label elements

<b>Label elements:</b>	< 5% anionic surfactants, < 5% chlorine-based bleaching agents, < 5% perfume
<b>Hazard statements:</b>	H315 Causes skin irritation. H318 Causes serious eye damage. H410 Very toxic to aquatic life with long lasting effects
<b>Signal words:</b>	Danger
<b>Hazard pictograms:</b>	
<b>Precautionary statements:</b>	P280 Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P102 Keep out of reach of children. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

#### 2.3. Other hazards

<b>PBT or vPvB:</b>	This product does not contain any substances classified as PBT or vPvB
---------------------	--

### Section 3. Composition/information on ingredients

#### 3.2. Mixtures

Chemical Name	EC No.	CAS No.	REACH Reg No.	CHIP Classification 67/548/EEC or 1999/45/EC	CLP Classification Regulation (EC) No 1272/2008	M factor (Acute)	Percent
<b>SODIUM HYPOCHLORITE SOLUTION, ... % Cl ACTIVE</b>	231-668-3	7681-52-9	01-2119488154-34-XXXX	C;R34 R31 N;R50	Met. Corr. 1 - H290 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400	10	1-5%
<b>ALCOHOLS, C12-14, ETHOXYLATED &lt; 2.5 EO, SULFATES, SODIUM SALTS</b>	500-234-8	68891-38-3	01-2119488639-16-XXXX	Xi;R38,R41	Skin Irrit. 2 - H315 Eye Dam. 1 - H318		1-5%
<b>SODIUM HYDROXIDE</b>	215-185-5	1310-73-2	01-2119457892-27-XXXX	C;R35	Met. Corr. 1 - H290 Skin Corr. 1A - H314 Eye Dam. 1 - H318		<1%

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### Section 4. First aid measures

#### 4.1. Description of first aid measures

<b>Skin contact:</b>	Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention if irritation persists after washing.
<b>Eye contact:</b>	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.
<b>Ingestion:</b>	Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Keep affected person under observation. Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.
<b>Inhalation:</b>	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>Skin contact:</b>	Prolonged or repeated contact with skin may cause irritation, redness and dermatitis
<b>Eye contact:</b>	Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain.
<b>Ingestion:</b>	Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract. May cause stomach pain or vomiting
<b>Inhalation:</b>	May cause respiratory system irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Immediate / special treatment:</b>	No specific recommendations.
---------------------------------------	------------------------------

### Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

<b>Suitable extinguishing media:</b>	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder
--------------------------------------	---

### 5.2. Special hazards arising from the substance or mixture

<b>Hazardous combustion products:</b>	Fire or high temperatures create: Chlorine. Oxides of: Chlorine. Hydrogen chloride (HCl).
---------------------------------------	---

### 5.3. Advice for fire-fighters

<b>Protective actions during firefighting:</b>	Control run-off water by containing and keeping it out of sewers and watercourses.
<b>Special protective equipment for firefighters</b>	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

<b>Personal precautions:</b>	For personal protection, see Section 8.
------------------------------	---

### 6.2. Environmental precautions

<b>Environmental precautions:</b>	Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.
-----------------------------------	--

### 6.3. Methods and material for containment and cleaning up

<b>Clean-up procedures:</b>	Stop leak if possible without risk. Flush away spillage with plenty of water. Absorb spillage with non-combustible, absorbent material. Do not discharge into drains or watercourses or onto the ground. Absorb in vermiculite, dry sand or earth and place into containers. Do not use paper or sawdust. Provide adequate ventilation. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.
-----------------------------	---

### 6.4. Reference to other sections

<b>Reference to other sections:</b>	For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.
-------------------------------------	--

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

<b>Usage precautions</b>	Wear protective clothing as described in Section 8 of this safety data sheet. Provide adequate ventilation. Avoid contact with skin and eyes. Avoid inhalation of vapours and spray/mists. Observe any occupational exposure limits for the product or ingredients. Avoid contact with acids and other cleaning agents.
<b>Advice on general occupational hygiene:</b>	Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Provide eyewash station. Wash promptly with soap and water if skin becomes contaminated. Wash contaminated clothing before reuse. Use appropriate skin cream to prevent drying of skin.

### 7.2. Conditions for safe storage, including any incompatibilities

<b>Storage precautions:</b>	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Protect from light. Store away from the following materials: Acids.
-----------------------------	---

### 7.3. Specific end use(s)

<b>Specific end use(s):</b>	The identified uses for this product are detailed in Section 1.2
-----------------------------	--

## Section 8: Exposure controls / personal protection

### 8.1. Control parameters

Occupational exposure limits	Ingredient comments
<b>SODIUM HYDROXIDE</b> Long-term exposure limit (8-hour TWA): WEL Short-term exposure limit (15-minute): WEL 2 mg/m <sup>3</sup> WEL = Workplace Exposure Limit	In case of Chlorine emission, the WEL for Chlorine should be observed: Short Term Exposure Limit (STEL) 1 ppm / 2.9 mg/m <sup>3</sup> . Long Term Exposure Limit (LTEL) 0.5 ppm / 1.5 mg/m <sup>3</sup> .

### DNEL/PNEC Values

	DNEL	PNEC
<b>SODIUM HYPOCHLORITE SOLUTION, ... % CI ACTIVE (CAS: 7681-52-9)</b>	Industry - Inhalation; Long term local effects: 1.55 mg/m <sup>3</sup> Industry - Inhalation; Long term systemic effects: 1.55 mg/m <sup>3</sup> Industry - Inhalation; Short term local effects: 3.1 mg/m <sup>3</sup> Industry - Inhalation; Short term systemic effects: 3.1 mg/m <sup>3</sup> Consumer - Inhalation; Long term local effects: 1.55 mg/m <sup>3</sup> Consumer - Inhalation; Long term systemic effects: 1.55 mg/m <sup>3</sup> Consumer - Inhalation; Short term local effects: 3.1 mg/m <sup>3</sup> Consumer - Inhalation; Short term systemic effects: 3.1 mg/m <sup>3</sup> Consumer - Oral; Long term systemic effects: 0.26 mg/kg/day	- Fresh water; 0.00021 mg/l - Marine water; 0.000042 mg/l - Intermittent release; 0.00026 mg/l - STP; 0.03 mg/l
<b>ALCOHOLS, C12-14, ETHOXYLATED &lt; 2.5 EO, SULFATES, SODIUM SALTS (CAS: 68891-38-3)</b>	Workers - Dermal; Long term systemic effects: 2750 mg/kg/day Workers - Inhalation; Long term systemic effects: 175 mg/m <sup>3</sup> Consumer - Oral; Long term systemic effects: 15 mg/kg/day Consumer - Dermal; Long term systemic effects: 1650 mg/kg/day Consumer - Inhalation; Long term systemic effects: 52 mg/m <sup>3</sup>	- Fresh water; 0.24 mg/l - Marine water; 0.024 mg/l - Intermittent release; 0.071 mg/l - Sediment, Fresh water; 5.45 mg/kg - Sediment, Marine water; 0.545 mg/kg - Soil; 0.946 mg/kg - STP; 10,000 mg/l
<b>SODIUM HYDROXIDE (CAS: 1310-73-2)</b>	Industry - Inhalation; Long term local effects: 1.0 mg/m <sup>3</sup> Consumer - Inhalation; Long term local effects: 1.0 mg/m <sup>3</sup>	

### 8.2. Exposure controls

<b>Engineering control:</b>	Provide adequate ventilation.
<b>Respiratory protection:</b>	Respiratory protection not required
<b>Hand protection:</b>	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Polyvinyl chloride (PVC). Rubber (natural, latex). EN 374
<b>Eye/face protection:</b>	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. EN 166
<b>Skin protection:</b>	Use barrier creams to prevent skin contact. Wear appropriate clothing to prevent repeated or prolonged skin contact
<b>Hygiene measures:</b>	When using do not eat, drink or smoke. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.
<b>Environmental:</b>	Avoid release to the environment.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>State:</b>	Viscous liquid
<b>Colour:</b>	Colourless to pale yellow
<b>Odour:</b>	Chlorine
<b>pH:</b>	pH (concentrated solution): >11

<b>Solubility in water:</b>	Soluble in water.		
<b>Evaporation rate:</b>	Not determined.		
<b>Viscosity at 20°C:</b>	Not applicable		
<b>Ignition temperature:</b>	Not applicable		
<b>Melting point:</b>	Not applicable.	<b>Boiling point:</b>	Not applicable.
<b>Explosive properties:</b>	Not relevant		
<b>Explosive under the influence of a flame:</b>	Not considered to be explosive		
<b>Flash point °C</b>	Not applicable.	<b>Relative density:</b>	1.070 typically @ 20°C
<b>Vapour pressure:</b>	Not determined.	<b>Vapour density:</b>	Not determined.
<b>Oxidising properties</b>	Not applicable		

### 9.2. Other information

<b>Other information:</b>	Not relevant.
---------------------------	---------------

## Section 10: Stability and reactivity

### 10.1. Reactivity

<b>Reactivity:</b>	Reacts with many inorganic and organic compounds
--------------------	--

### 10.2. Chemical stability

<b>Chemical stability:</b>	Decomposes over time. Factors that increase the rate of decomposition: increase in temperature, certain metallic impurities, high initial concentration, fall in pH below 11 and exposure to light.
----------------------------	---

### 10.3. Possibility of hazardous reactions

<b>Hazardous reaction:</b>	Contact with acids liberates toxic gas. Chlorine.
----------------------------	---

### 10.4. Conditions to avoid

<b>Conditions to avoid:</b>	Avoid exposure to high temperatures or direct sunlight.
-----------------------------	---

### 10.5. Incompatible materials

<b>Materials to avoid:</b>	Acids. Ammonium compounds. Organic materials. Metals, particularly copper, nickel and iron.
----------------------------	---

### 10.6. Hazardous decomposition products

<b>Haz. decomp. products:</b>	Chlorine. Hydrogen chloride (HCl). Oxides of the following substances: Chlorine
-------------------------------	---

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

<b>Toxicological effects:</b>	Data for sodium hypochlorite solution 15% shows low acute oral toxicity: LC50(rat, oral) 1100 mg/kg (as available chlorine). Low acute inhalation toxicity. LC50 (rat, 1hr) >10500mg/m <sup>3</sup> (as available chlorine). Very low acute dermal toxicity. LC50 (rat, dermal) >2000 mg/kg (as available chlorine)
<b>Other health effects:</b>	Does not contain any substances known to be carcinogenic.

#### Skin sensitisation

<b>Skin sensitisation:</b>	Not sensitising.
<b>General information:</b>	This product has low toxicity
<b>Ingestion:</b>	May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.

<b>Skin contact:</b>	Skin irritation should not occur when used as recommended. Repeated exposure may cause skin dryness or cracking.
<b>Eye contact</b>	May cause temporary eye irritation
<b>Toxicological information on ingredients.</b>	
<b>SODIUM HYPOCHLORITE SOLUTION, ... % CI ACTIVE</b>	
<b>Skin corrosion/irritation Animal data</b>	Corrosive to skin
<b>Serious eye damage/irritation</b>	Corrosivity to eyes is assumed
<b>Respiratory or skin sensitization</b>	Not sensitising
<b>Carcinogenicity</b>	Based on available data the classification criteria are not met

### Section 12: Ecological information

<b>Ecotoxicity:</b>	Not regarded as dangerous for the environment. The product is classified using the test data for the AISE model bleach product. Ref: International Association for Soaps, Detergents and Maintenance Products publication "Environmental classification of sodium hypochlorite containing bleach products". The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.
---------------------	---

#### 12.1. Toxicity

<b>Toxicity to fish</b>	Not considered toxic to fish	
<b>Acute toxicity – aquatic Invertebrates</b>	Reference: AISE report "Environmental classification of sodium hypochlorite containing bleach products.", 9 September 2009. EC <sub>50</sub> , 48 hours: > 1 mg/l mg/l, Daphnia magna	
<b>Ecological information on ingredients</b>		
<b>SODIUM HYPOCHLORITE SOLUTION, ... % CI ACTIVE</b>		
<b>Acute aquatic toxicity</b>	<b>LE(C)<sub>50</sub></b>	0.01 < L(E)C <sub>50</sub> ≤ 0.1 0.01 < L(E)C <sub>50</sub> ≤ 0.1
	<b>M factor (Acute)</b>	10
<b>Chronic aquatic toxicity</b>	<b>NOEC</b>	0.01 < NOEC ≤ 0.1

#### 12.2. Persistence and degradability

<b>Persistence and degradability:</b>	This product contains inorganic compounds which are not biodegradable. Reacts with organic substances in soil and sediments and degrades rapidly to chloride salts. Substantially removed in biological treatment processes. The surfactant(s) contained in this product complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.
<b>Ecological information on ingredients.</b>	<b>SODIUM HYPOCHLORITE SOLUTION, ... % CI ACTIVE</b>
<b>Biodegradation</b>	The methods for determining the biological degradability are not applicable to inorganic substances

#### 12.3. Bioaccumulative potential

<b>Bioaccumulative potential:</b>	No data available on bioaccumulation. Low potential for bioaccumulation
-----------------------------------	---

#### 12.4. Mobility on soil



# SAFETY DATA SHEET

## BIG DOM! Thick Bleach

In accordance with Regulation (EC) No. 1907/2006  
Annex II, as amended by Regulation (EU) No 453/2010

Revision date: 01.02.2016  
Page: 7/8

<b>Mobility:</b>	The product is water-soluble and may spread in water systems.
------------------	---

### 12.5. Results of PBT and vPvB assessment

<b>PBT or vPvB identification:</b>	This product does not contain any substances classified as PBT or vPvB.
------------------------------------	---

### 12.6. Other adverse effect

<b>Other adverse effect:</b>	There is evidence that sodium hypochlorite inhibits the aerobic treatment process at a concentration of 0.05 mg/l.
------------------------------	--

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

<b>General information:</b>	Do not discharge into drains or watercourses or onto the ground
<b>Disposal methods:</b>	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Packaging is recyclable. Wash out containers with water before disposal.

## Section 14: Transport information

<b>Road transport notes</b>	Not classified
<b>Rail transport notes</b>	Not classified
<b>Sail transport notes</b>	Not classified
<b>Air transport notes</b>	Not classified

### 14.1. UN number

<b>UN number:</b>	Not applicable
-------------------	----------------

### 14.2. UN proper shipping name

<b>Shipping name:</b>	Not applicable
-----------------------	----------------

### 14.3. Transport hazard class(es)

<b>Transport class:</b>	Not applicable
-------------------------	----------------

### 14.4. Packing group

<b>Packing group:</b>	Not applicable
-----------------------	----------------

### 14.5. Environmental hazards

<b>Environmentally hazardous:</b>	Not applicable
-----------------------------------	----------------

### 14.6. Special precautions for user

<b>Special precautions:</b>	Not applicable
-----------------------------	----------------

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

<b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	Not applicable
---	----------------

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>National regulations:</b>	The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).
------------------------------	---

	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716). EH40/2005 Workplace exposure limits
<b>EU legislation:</b>	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) 1907/2006, Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and Directive 91/689/EEC on hazardous waste with amendments
<b>Guidance:</b>	COSHH Essentials. ECHA Guidance on the Application of the CLP Criteria. ECHA Guidance on the compilation of safety data sheets

### 15.2. Chemical Safety Assessment

<b>Chemical safety assessment:</b>	A Chemical Safety Assessment (CSA) has been completed for Sodium hypochlorite. and Sodium hydroxide
------------------------------------	---

### Section 16: Other information

#### Other information

<b>Revision comments::</b>	NOTE: Lines within the margin indicate significant changes from the previous revision.
<b>Revision date:</b>	01/02/2016
<b>Revision:</b>	1
<b>Supersedes date:</b>	12/06/205
<b>SDS number:</b>	21155
<b>Phrases used in Section 2 and section 3:</b>	<p><b>Risk phrases in full:</b> R31 Contact with acids liberates toxic gas. R34 Causes burns. R35 Causes severe burns. R38 Irritating to skin. R41 Risk of serious damage to eyes. R50 Very toxic to aquatic organisms.</p> <p><b>Hazard statements in full:</b> H290 May be corrosive to metals. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.</p>
<b>Legal disclaimer:</b>	This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.