

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the substance or preparation

Purito

Use of the substance/preparation

Special cleaner

Company/undertaking identification

Otto Oehme GmbH, Industriestr. 20, D -90584 Allersberg
 Telephone ++49 (0)9176/9805-0, Fax ++49 (0)9176/9805-55

E-mail address of the competent person: info@chemical-check.de, k.schnurbusch@chemical-check.de

Emergency telephone

Advisory office in case of poisoning:

Tel.:

Telephone number of the company in case of emergencies:

Tel. ++49 (0)9176/9805-0

2. HAZARDS IDENTIFICATION

To people

See point 11 and 15.
 Preparation is classified as hazardous in the sense of directive 1999/45/EC.
 Irritation of the eyes

To the environment

See point 12.

REGULATION (EC) No 648/2004

less than 5 %
 phosphates
 anionic surfactants
 non-ionic surfactants

perfumes

CITRONELLOL
 LIMONENE
 HEXYL CINNAMAL
 HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXALDEHYDE
 BUTYLPHENYL METHYLPROPIONAL
 LINALOOL

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical name | | | |
|---------------------------|----------------------------|-----------|----------------|
| content % | Symbol | R-phrases | EINECS, ELINCS |
| | Registration number (ECHA) | | |
| 2-(2-butoxyethoxy)ethanol | | | |
| 1 - 10 | Xi | 36 | 203-961-6 |
| | | | |

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision: 06.05.2010 Replaces the version of: 25.01.2008 PDF date: 06.05.2010
 Purito

| Chemical name | | | |
|---------------|----------------------------|-----------|----------------|
| content % | Symbol | R-phrases | EINECS, ELINCS |
| | Registration number (ECHA) | | |

| | | | |
|---------------------------------|-----|---|-----------|
| (2-methoxymethylethoxy)propanol | | Substance for which an EU exposure limit value applies. | |
| 1 - 10 | --- | --- | 252-104-2 |

| Chemical name | | | |
|---------------|----------------------------|-----------|----------------|
| content % | Symbol | R-phrases | EINECS, ELINCS |
| | Registration number (ECHA) | | |

| | | | |
|---------------------------|-------|-------|--|
| Ethoxylated isotridecanol | | | |
| 1 -< 5 | Xn/Xi | 22-41 | |

| Chemical name | | | |
|---------------|----------------------------|-----------|----------------|
| content % | Symbol | R-phrases | EINECS, ELINCS |
| | Registration number (ECHA) | | |

| | | | |
|-------------------|----|-------|-----------|
| Sodium etasulfate | | | |
| 1 -< 5 | Xi | 38-41 | 204-812-8 |

| Chemical name | | | |
|---------------|----------------------------|-----------|----------------|
| content % | Symbol | R-phrases | EINECS, ELINCS |
| | Registration number (ECHA) | | |

| | | | |
|-------------|------|----------|-----------|
| Propan-2-ol | | | |
| 1 - 5 | F/Xi | 11-36-67 | 200-661-7 |

| Chemical name | | | |
|---------------|----------------------------|-----------|----------------|
| content % | Symbol | R-phrases | EINECS, ELINCS |
| | Registration number (ECHA) | | |

| | | | |
|---|----|-------|-----------------------|
| Docusate sodium/2,2-dimethylpropane-1,3-diol, watery solution | | | |
| 1 -< 5 | Xi | 38-41 | 209-406-4 / 204-781-0 |

For complete wording of the R-phrases / H-phrases (GHS/CLP), refer to point 16.

4. FIRST AID MEASURES

4.1 Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

If the person is unconscious, place in a stable side position and consult a doctor.

4.2 Skin contact

Wash thoroughly using copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor.

4.2 Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

4.4 Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting - give copious water to drink. Consult doctor immediately.

Keep Data Sheet available.

4.5 Special resources necessary for first aid

n.c.

5. FIRE-FIGHTING MEASURES

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision: 06.05.2010 Replaces the version of: 25.01.2008 PDF date: 06.05.2010
Purito

5.1 Suitable extinguishing media

Adapt to the nature and extent of fire.

Water jet spray / alcohol resistant foam / CO2 / dry extinguisher

5.2 Extinguishing media which shall not be used for safety reasons

High volume water jet

5.3 Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases

In case of fire the following can develop:

Oxides of carbon

Oxides of phosphorus

Oxides of sulphur

Toxic pyrolysis products.

5.4 Special protective equipment for fire-fighters

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary

5.5 Further information

Dispose of contaminated extinction water according to official regulations.

6. ACCIDENTAL RELEASE MEASURES

Refer to point 13. and for personal protection refer to point 8.

6.1 Personal precautions

Ensure sufficient supply of air.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping

6.2 Environmental precautions

If leakage occurs, dam up.

Prevent surface and ground-water infiltration, as well as ground penetration.

Do not pour down the drain undiluted.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods for cleaning up

Collect using absorbant material (e.g. Universal binding medium, sand, kieselguhr, sawdust), and dispose of according to point 13.

Diluting with water is possible.

Flush residue using copious water.

7. HANDLING AND STORAGE

7.1 Handling

Tips for safe handling:

See point 6.1

Ensure good ventilation.

Avoid contact with eyes or skin.

Wash hands before breaks and at end of work.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

7.2. Storage

Requirements for storage rooms and containers:

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Keep away from food, drink and animal feedingstuffs.

Special storage conditions:

See point 10

Keep out of access to unauthorised individuals.

Store in a well ventilated place.

Store at room temperature.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Exposure limit values

| Chemical Name | 2-(2-butoxyethoxy)ethanol | | Content %:1 - 10 |
|--|--|-----|------------------|
| WEL-TWA: 10 ppm (67,5 mg/m3) (WEL, EC) | WEL-STEL: 15 ppm (101,2 mg/m3) (WEL, EC) | --- | |
| BMGV: --- | Other information: --- | | |
| Chemical Name | (2-methoxymethylethoxy)propanol | | Content %:1 - 10 |
| WEL-TWA: 50 ppm (308 mg/m3) (WEL, EC) | WEL-STEL: --- | --- | |
| BMGV: --- | Other information: Sk (WEL) | | |
| Chemical Name | Propan-2-ol | | Content %:1 - 5 |
| WEL-TWA: 400 ppm (999 mg/m3) | WEL-STEL: 500 ppm (1250 mg/m3) | --- | |
| BMGV: --- | Other information: --- | | |

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

8.2 Exposure controls

8.2.1 Occupational exposure controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Respiratory protection:

Normally not necessary.

If OES or MEL is exceeded.

Filter A2 P2 (EN 14387)

Hand protection:

Chemical resistant protective gloves (EN 374).

If applicable

Protective gloves in butyl rubber (EN 374).

Protective Neopren gloves (EN 374).

Protective nitrile gloves (EN 374)

Protective hand cream recommended.

Eye protection:

Tight fitting protective goggles with side protection (EN 166).

Skin protection:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments)

Additional information on hand protection - No tests have been performed.

Selection made for preparations according to the best available knowledge and information on the ingredients.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of preparations the resistance of glove materials cannot be calculated in advance so it has to be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.2 Environmental exposure controls

n.av.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 General information

Physical state:

Liquid

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision: 06.05.2010 Replaces the version of: 25.01.2008 PDF date: 06.05.2010
 Purito

Colour: Clear, Colourless
 Odour: Slightly perfumed, Alcoholic

9.2. Important health, safety and environmental information

pH-value undiluted: ~ 9
 Boiling point/boiling range (°C): Not specified
 Melting point/melting range (°C): Not detected
 Flash point (°C): Not detected
 Minimum limit of explosion: Not detected
 Maximum limit of explosion: Not detected
 Density (g/ml): 1,034
 Water solubility: Mixable

10. STABILITY AND REACTIVITY

Conditions to avoid

See point 7
 Stable when handled and stored correctly.

Materials to avoid

See point 7
 Avoid contact with strong acids.
 Avoid contact with strong oxidizing agents.

Hazardous decomposition products

See point 5.3
 No decomposition when used as directed.

11. TOXICOLOGICAL INFORMATION

Acute toxicity and immediate effects

Ingestion, LD50 rat oral (mg/kg): n.av.
 Inhalation, LC50 rat inhal.(mg/l/4h): n.av.
 Skin contact, LD50 rat dermal (mg/kg): n.av.
 Eye contact: See point 15.

Delayed and chronic effects

Sensitization: n.c.
 Carcinogenicity: n.c.
 Mutagenicity: n.c.
 Reproductive toxicity: n.c.
 Narcosis: n.c.

Further information

The product was not tested.
 Classification according to calculation procedure.
 The following may occur:
 Skin irritation possible with prolonged contact.

12. ECOLOGICAL INFORMATION

Persistence and degradability:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.
 Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Readily biodegradable (> 70% OECD 302B) *
 >60% 28d OECD 301C, > 70% OECD 302B **
 > 99,9% OECD 303A, (95%/21d mod. OECD-screening-test) ***

Behaviour in sewage plants: Problems not expected when used correctly.

Aquatic toxicity: n.av.
 Ecological toxicity: n.av.

* (2-methoxymethylethoxy)propanol

** 2-(2-butoxyethoxy)ethanol

*** Propan-2-ol

Mobility: n.av.

Accumulation: n.av.

Results of PBT assessment

n.av.

Other adverse effects:

n.av.

13. DISPOSAL CONSIDERATIONS

13.1. for the material / preparation / residue

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.
 Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2001/118/EC, 2001/119/EC, 2001/573/EC)

07 06 01 aqueous washing liquids and mother liquors

20 01 29 detergents containing dangerous substances

Recommendation:

Pay attention to local and national official regulations

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

13.2 for contaminated packing material

See point 13.1

Pay attention to local and national official regulations

Empty container completely.

Untamminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

14. TRANSPORT INFORMATION

General statements

UN-Number: n.a.

Road/Rail-transport (ADR/RID)

Class/packing group: n.a.

Classification code: n.a.

LQ: n.a.

Tunnel restriction code:

Transport by sea

IMDG-code: n.a. (class/packing group)

Marine Pollutant: n.a.

Additional information:

Non-dangerous material according to Transport Regulations.

15. REGULATORY INFORMATION

Classification according to Dangerous Product Regulations incl. EC Directives (67/548/EEC and 1999/45/EC)



Symbols: Xi

Indications of danger:

Irritant

R-phrases:

36 Irritating to eyes.

S-phrases:

(2) Keep out of the reach of children.

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

35 This material and its container must be disposed of in a safe way.

(46) If swallowed, seek medical advice immediately and show this container or label.

Additions: n.a.

Observe restrictions: Yes

Observe youth employment law (German regulation).

16. OTHER INFORMATION

These details refer to the product as it is delivered.

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision: 06.05.2010 Replaces the version of: 25.01.2008 PDF date: 06.05.2010
Purito

Storage class VCI (Germany): 10/12
Revised points: 9
The following phrases represent the prescribed R-phrases / H-phrases (GHS/CLP) for the ingredients (designated in point 3).
36 Irritating to eyes.
22 Harmful if swallowed.
41 Risk of serious damage to eyes.
38 Irritating to skin.
11 Highly flammable.
67 Vapours may cause drowsiness and dizziness.

Legend:

n.a. = not applicable / n.v., k.D.v. = n.av. = not available / n.g. = n.c. = not checked

WEL = Workplace Exposure Limit EH40, TWA = Long-term exposure limit (8-hour TWA (= time weighted average) reference period), STEL = Short-term exposure limit (15-minute reference period) / BMGV = Biological monitoring guidance value EH40
AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany) / BGW = "Biologischer Grenzwert" (biological limit value, Germany)
VbF = Regulations for flammable liquids (Austria)

WGK = water hazard class (Germany) - WGK 3 = very hazardous, WGK 2 = hazardous, WGK 1 = slightly hazardous to water

VOC = Volatile organic compounds / AOX = Adsorbable organic halogen compounds

VwVwS = Administrative Order relating to substances hazardous to water (Germany)

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.

No responsibility.

These statements were made by:

Chemical Check GmbH, Wöbbeler Straße 2-4, D-32839 Steinheim, Tel.: +49 5233 94 17 0, +49 1805-CHEMICAL / +49 180 52 43 642, Fax: +49 5233 94 17 90, +49 180 50 50 455

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.