

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 Jan 2023

Print date: 27 Nov 2024

Version: 1



Page 1/10

Allzweckreiniger EU

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

Allzweckreiniger EU

Article No.:

228

UFI:

075Q-K69W-V750-HMJJ

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Cleaning agent

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Otto Oehme GmbH

FEA

Industriestr. 20

90584 Allersberg

Germany

Telephone: 09176/98050

Telefax: 09176/980555

E-mail: Info@Oehme-Lorito.de

Website: www.Oehme-Lorito.de

1.4. Emergency telephone number

No data available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

| Hazard classes and hazard categories | Hazard statements | Classification procedure |
|---|--------------------------------------|--------------------------|
| Serious eye damage/eye irritation (Eye Irrit. 2) | H319: Causes serious eye irritation. | |

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS07

Exclamation mark

Signal word: Warning

Hazard statements for health hazards

H319 Causes serious eye irritation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 Jan 2023

Print date: 27 Nov 2024

Version: 1



Page 2/10

Allzweckreiniger EU

Supplemental hazard information: none

Precautionary statements Prevention

P280 Wear protective gloves and eye protection/face protection.

Precautionary statements Response

P337 + P313 If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

| Product identifiers | Substance name Classification according to Regulation (EC) No 1272/2008 [CLP] | Concentration |
|---|---|-----------------------|
| CAS No.: 64-17-5 EC No.: 200-578-6 Index No.: 603-002-00-5 REACH No.: 01-2119457610-43-XXXX | ethanol Flam. Liq. 2 (H225) Danger Acute Toxicity Estimate ATE (oral) 10,470 mg/kg ATE (dermal) > 2,000 mg/kg ATE (inhalation, vapour) 51 mg/L | 5 - < 10 weight-% |
| CAS No.: 69011-36-5 | Isotridecanol,ethoxylated Acute Tox. 4 (H302), Eye Dam. 1 (H318) Danger Acute Toxicity Estimate ATE (oral) 300 - 2,000 mg/kg ATE (dermal) > 2,000 mg/kg | 1 - ≤ 5 weight-% |
| CAS No.: 34590-94-8 EC No.: 252-104-2 REACH No.: 01-2119450011-60-XXXX | (2-methoxymethylethoxy)propanol Substance with a community workplace exposure limit. Acute Toxicity Estimate ATE (oral) > 5,000 mg/kg ATE (dermal) 9,510 mg/kg ATE (inhalation, vapour) > 5,000 mg/L | 1 - ≤ 5 weight-% |
| CAS No.: 78-93-3 EC No.: 201-159-0 Index No.: 606-002-00-3 REACH No.: 01-2119457290-43-XXXX | butanone Eye Irrit. 2 (H319), Flam. Liq. 2 (H225), STOT SE 3 (H336) Danger EUH066 | 0 - < 0.1 weight-% |

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended.

Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of skin contact:

If skin irritation or rash occurs: Get medical advice/attention. After contact with skin, wash immediately with plenty of water and soap.

After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 Jan 2023

Print date: 27 Nov 2024

Version: 1



Page 3/10

Allzweckreiniger EU

Following ingestion:

Rinse mouth. Get medical advice/attention if you feel unwell. Let 1 glass of water be drunken in little sips (dilution effect).

Self-protection of the first aider:

Use personal protection equipment.

4.2. Most important symptoms and effects, both acute and delayed

Serious eye damage/eye irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Adjust to the environment

Unsuitable extinguishing media:

There are no restrictions on extinguishing agents for this mixture

5.2. Special hazards arising from the substance or mixture

Contains combustible substance. Vapors are heavier than air and spread along floors. Explosive mixtures with air are possible even at normal temperatures. on Watch out for flashback. In case of fire hazardous combustion gases or vapors possible.

Hazardous combustion products:

In case of fire: Gases/vapours, toxic

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Remove persons to safety. Do not inhale vapors / aerosols. Special danger of slipping by leaking/spilling product. Use personal protection equipment.

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 Jan 2023

Print date: 27 Nov 2024

Version: 1



Page 4/10

Allzweckreiniger EU

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8). Avoid: Inhalation of vapours or spray/mists Eye contact

Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

| Limit value type (country of origin) | Substance name | ① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark |
|--------------------------------------|--|--|
| IE from 5 Dec 2011 | ethanol CAS No.: 64-17-5 EC No.: 200-578-6 | ② 1,000 ppm |
| IE | (2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2 | ① 50 ppm (308 mg/m ³) ⑤ (may be absorbed through the skin) Sk, IOELV |
| IOELV (EU) | (2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2 | ① 50 ppm (308 mg/m ³) ⑤ (may be absorbed through the skin) |
| IE | butanone CAS No.: 78-93-3 EC No.: 201-159-0 | ① 200 ppm (600 mg/m ³) ② 300 ppm (900 mg/m ³) ⑤ (may be absorbed through the skin) Sk, IOELV |
| IOELV (EU) | butanone CAS No.: 78-93-3 EC No.: 201-159-0 | ① 200 ppm (600 mg/m ³) ② 300 ppm (900 mg/m ³) |

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

No data available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

8.2.2. Personal protection equipment

Eye/face protection:

Eye glasses with side protection EN 166

Skin protection:

Tested protective gloves must be worn EN ISO 374 Suitable material: Breakthrough time: min In the case of wanting to use the gloves again, clean them before taking off and air them well. Breakthrough times and swelling properties of the material must be taken into consideration.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 Jan 2023

Print date: 27 Nov 2024

Version: 1



Page 5/10

Allzweckreiniger EU

Respiratory protection:

Respiratory protection necessary at: aerosol or mist formation Filter type: A2 P2

8.2.3. Environmental exposure controls

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid

Colour: blue

Odour: scented

flammability: No

Safety relevant basis data

| Parameter | Value | at °C | ① Method ② Remark |
|--|-----------------------|-------|-----------------------------------|
| pH | ≈ 9 | 20 °C | |
| Melting point | No data available | | |
| Freezing point | No data available | | |
| Initial boiling point and boiling range | No data available | | |
| Flash point | > 35 °C | | ② unterhält die Verbrennung nicht |
| Evaporation rate | No data available | | |
| Auto-ignition temperature | No data available | | |
| Upper/lower flammability or explosive limits | > 1.3 - ≤ 15 % | | ② (Ethanol) |
| Vapour pressure | No data available | | |
| Vapour density | No data available | | |
| Density | ≈ 1 g/cm ³ | 20 °C | |
| Bulk density | not applicable | | |
| Water solubility | miscible | | |
| Dynamic viscosity | No data available | | |
| Kinematic viscosity | No data available | | |

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Explosive mixtures with air are possible on intense heating.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapors with: metals, light metals, metal alloys. It can develop: hydrogen. Violent reactions possible with: alkalis, metal oxides.

Oxidizing agent

10.4. Conditions to avoid

Avoid high temperatures or direct sunlight.

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 Jan 2023

Print date: 27 Nov 2024

Version: 1



Page 6/10

Allzweckreiniger EU

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| |
|--|
| ethanol CAS No.: 64-17-5 EC No.: 200-578-6 |
| LD₅₀ oral: 10,470 mg/kg (Ratte) |
| LD₅₀ dermal: >2,000 mg/kg (Kaninchen) |
| LC₅₀ Acute inhalation toxicity (vapour): 51 mg/L 4 h (Ratte) |
| Isotridecanol,ethoxylated CAS No.: 69011-36-5 |
| LD₅₀ oral: 300 - 2,000 mg/kg (Ratte) |
| LD₅₀ dermal: >2,000 mg/kg (Ratte) |
| (2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2 |
| LD₅₀ oral: >5,000 mg/kg (Ratte) OECD 401 |
| LD₅₀ dermal: 9,510 mg/kg (rabbit) OECD Guideline 402 (Acute Dermal Toxicity) |
| LC₅₀ Acute inhalation toxicity (vapour): >5,000 mg/L (Rat) OECD Prüfrichtlinie 401 |

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Causes serious eye irritation.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No data available

11.2. Information on other hazards

No data available

SECTION 12: Ecological information

12.1. Toxicity

| |
|---|
| ethanol CAS No.: 64-17-5 EC No.: 200-578-6 |
| LC₅₀: 5,012 mg/L 2 d (Algae/water plant, Ceriodaphnia dubia (Wasserfloh)) |
| EC₅₀: 275 mg/L 3 d (Algae/water plant, Chlorella vulgaris) OECD- Prüfrichtlinie 201 |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 Jan 2023

Print date: 27 Nov 2024

Version: 1



Page 7/10

Allzweckreiniger EU

| |
|--|
| Isotridecanol,ethoxylated CAS No.: 69011-36-5 |
| LC₅₀ : >1 - 10 mg/L 4 d (fish, <i>Leuciscus idus</i>) |
| EC₅₀ : >1 - 10 mg/L 2 d (crustaceans) |
| EC₅₀ : >1 - 10 mg/L 3 d (Algae/water plant) |
| NOEC : >1 mg/L 21 d (crustaceans) |
| LC₅₀ : >1 - 10 mg/L (fish, <i>Daphnia magna</i>) |
| LC₅₀ : >1 - 10 mg/L (fish) |
| EC₅₀ : >1 - 10 mg/L 2 d (fish, <i>Daphnia magna</i>) |
| NOEC : >1 mg/L (Algae/water plant, <i>Daphnia magna</i>) |
| (2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2 |
| LC₅₀ : 10,000 mg/L 4 d (fish, fettköpfige Elritze) |
| EC₅₀ : 1,919 mg/L 2 d (crustaceans, <i>Daphnia magna</i>) |
| EC₅₀ : 969 mg/L 4 d (Algae/water plant, Grünalge) |
| NOEC : >969 mg/L 4 d (Algae/water plant, Grünalge) |
| NOEC : 0.5 mg/L 21 d (crustaceans, <i>Daphnia magna</i>) |
| LC₅₀ : >1,000 mg/L 4 d (fish, <i>Poecilia reticulata</i>) |
| LC₅₀ : >1,000 mg/L 2 d (crustaceans, <i>Crangon crangon</i>) EPA OPP 72-3 (Estuarine/Marine Fish, Mollusk, or Shrimp Acute Toxicity Test) |
| LC₅₀ : >1,000 mg/L 3 d (crustaceans, <i>Crangon crangon</i>) EPA OPP 72-3 (Estuarine/Marine Fish, Mollusk, or Shrimp Acute Toxicity Test) |
| LC₅₀ : >1,000 mg/L 4 d (crustaceans, <i>Crangon crangon</i>) EPA OPP 72-3 (Estuarine/Marine Fish, Mollusk, or Shrimp Acute Toxicity Test) |
| EC₅₀ : >969 mg/L 3 d (Algae/water plant, <i>Pseudokirchneriella subcapitata</i> (previous names: <i>Raphidocelis subcapitata</i> , <i>Selenastrum capricornutum</i>)) |
| EC₅₀ : >969 mg/L 4 d (Algae/water plant, <i>Pseudokirchneriella subcapitata</i> (previous names: <i>Raphidocelis subcapitata</i> , <i>Selenastrum capricornutum</i>)) |
| NOEC : 969 mg/L 3 d (Algae/water plant, <i>Pseudokirchneriella subcapitata</i> (previous names: <i>Raphidocelis subcapitata</i> , <i>Selenastrum capricornutum</i>)) |
| NOEC : 969 mg/L 4 d (Algae/water plant, <i>Pseudokirchneriella subcapitata</i> (previous names: <i>Raphidocelis subcapitata</i> , <i>Selenastrum capricornutum</i>)) |
| LOEC : 0.5 mg/L 22 d (crustaceans, <i>Daphnia magna</i>) |
| butanone CAS No.: 78-93-3 EC No.: 201-159-0 |
| LC₅₀ : 2,993 mg/L 4 d (fish, <i>Pimephales promelas</i>) OECD Prüfrichtlinie 203 |
| EC₅₀ : 308 mg/L 2 d (crustaceans, <i>Daphnia magna</i>) OECD-Prüfrichtlinie 202 |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 Jan 2023

Print date: 27 Nov 2024

Version: 1



Page 8/10

Allzweckreiniger EU

1,1'-Oxydibenzene CAS No.: 101-84-8 EC No.: 202-981-2

LC₅₀: 6 mg/L 2 d (fish, *Oncorhynchus mykiss* (previous name: *Salmo gairdneri*))

LC₅₀: 4.2 mg/L 4 d (fish, *Oncorhynchus mykiss* (previous name: *Salmo gairdneri*))

EC₅₀: 0.304 mg/L 3 d (Algae/water plant, *Pseudokirchneriella subcapitata* (previous names: *Raphidocelis subcapitata*, *Selenastrum capricornutum*)) the Notice On the Test Method Concerning New Chemical Substances (Nov 21, 2003, No. 1121002, Pharmaceutical and Food Safety Bureau, MHLW, No.2, Manufacturing Industries Bureau, METI, No. 031121002, Environ Policy Bureau, MOE) -- Equivalent to OECD 201

EC₅₀: 1.96 mg/L 2 d (crustaceans, *Daphnia magna*) the Notice On the Test Method Concerning New Chemical Substances (Nov 21, 2003, No. 1121002, Pharmaceutical and Food Safety Bureau, MHLW, No.2, Manufacturing Industries Bureau, METI, No. 031121002, Environ Policy Bureau, MOE) -- Equivalent to OECD 202

NOEC: 0.188 mg/L 3 d (Algae/water plant, *Pseudokirchneriella subcapitata* (previous names: *Raphidocelis subcapitata*, *Selenastrum capricornutum*)) the Notice On the Test Method Concerning New Chemical Substances (Nov 21, 2003, No. 1121002, Pharmaceutical and Food Safety Bureau, MHLW, No.2, Manufacturing Industries Bureau, METI, No. 031121002, Environ Policy Bureau, MOE) -- Equivalent to OECD 201

NOEC: 3.2 mg/L 4 d (fish, *Oncorhynchus mykiss* (previous name: *Salmo gairdneri*))

NOEC: 0.76 mg/L 1 d (crustaceans, *Daphnia magna*) the Notice On the Test Method Concerning New Chemical Substances (Nov 21, 2003, No. 1121002, Pharmaceutical and Food Safety Bureau, MHLW, No.2, Manufacturing Industries Bureau, METI, No. 031121002, Environ Policy Bureau, MOE) -- Equivalent to OECD 202

NOEC: 0.76 mg/L 2 d (crustaceans, *Daphnia magna*) the Notice On the Test Method Concerning New Chemical Substances (Nov 21, 2003, No. 1121002, Pharmaceutical and Food Safety Bureau, MHLW, No.2, Manufacturing Industries Bureau, METI, No. 031121002, Environ Policy Bureau, MOE) -- Equivalent to OECD 202

12.2. Persistence and degradability

ethanol CAS No.: 64-17-5 EC No.: 200-578-6

Biodegradation: Yes, rapidly

(2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2

Biodegradation: Yes, rapidly

butanone CAS No.: 78-93-3 EC No.: 201-159-0

Biodegradation: Yes, rapidly

12.3. Bioaccumulative potential

ethanol CAS No.: 64-17-5 EC No.: 200-578-6

Log K_{OW}: -0.35

Bioconcentration factor (BCF): 0.66

(2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2

Log K_{OW}: 0.004

butanone CAS No.: 78-93-3 EC No.: 201-159-0

Log K_{OW}: 0.3

1,1'-Oxydibenzene CAS No.: 101-84-8 EC No.: 202-981-2

Log K_{OW}: 4.21

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

ethanol CAS No.: 64-17-5 EC No.: 200-578-6

Results of PBT and vPvB assessment: —

Isotridecanol,ethoxylated CAS No.: 69011-36-5

Results of PBT and vPvB assessment: —

(2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

butanone CAS No.: 78-93-3 EC No.: 201-159-0

Results of PBT and vPvB assessment: —

1,1'-Oxydibenzene CAS No.: 101-84-8 EC No.: 202-981-2

Results of PBT and vPvB assessment: —

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 Jan 2023

Print date: 27 Nov 2024

Version: 1



Page 9/10

Allzweckreiniger EU

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

| | |
|------------|--|
| 07 06 01 * | aqueous washing liquids and mother liquors |
| 20 01 29 * | Detergents containing hazardous substances |

*: Evidence for disposal must be provided.

Waste code packaging

Remark:

Plastic packaging

Waste treatment options

Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

SECTION 14: Transport information

| Land transport (ADR/RID) | Inland waterway craft (ADN) | Sea transport (IMDG) | Air transport (ICAO-TI / IATA-DGR) |
|--|--|--|--|
| 14.1. UN number or ID number | | | |
| No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. |
| 14.2. UN proper shipping name | | | |
| No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. |
| 14.3. Transport hazard class(es) | | | |
| not relevant | not relevant | not relevant | not relevant |
| 14.4. Packing group | | | |
| not relevant | not relevant | not relevant | not relevant |
| 14.5. Environmental hazards | | | |
| not relevant | not relevant | not relevant | not relevant |
| 14.6. Special precautions for user | | | |
| not relevant | not relevant | not relevant | not relevant |

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Authorisations:

Labelling for contents according to regulation (EC) No. 648/2004
non-ionic surfactants <5%
perfumes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 20 Jan 2023

Print date: 27 Nov 2024

Version: 1



Page 10/10

Allzweckreiniger EU

15.1.2. National regulations

No data available

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out for this product.

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

No data available

16.3. Key literature references and sources for data

| Substance name | Type | source of supply |
|---|--|---|
| (2-methoxymethylethoxy)propanol CAS No.: 34590-94-8 EC No.: 252-104-2 | LD ₅₀ dermal; LC ₅₀ ; EC ₅₀ ; NOEC; LOEC | Source: European Chemicals Agency, http://echa.europa.eu/ |
| 1,1'-Oxydibenzene CAS No.: 101-84-8 EC No.: 202-981-2 | LC ₅₀ ; EC ₅₀ ; NOEC | Source: European Chemicals Agency, http://echa.europa.eu/ |

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

| Hazard classes and hazard categories | Hazard statements | Classification procedure |
|---|--------------------------------------|--------------------------|
| Serious eye damage/eye irritation (Eye Irrit. 2) | H319: Causes serious eye irritation. | |

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

| Hazard statements | |
|-------------------|-------------------------------------|
| H225 | Highly flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |

| Supplemental hazard information | |
|---------------------------------|---|
| EUH066 | Repeated exposure may cause skin dryness or cracking. |

16.6. Training advice

No data available

16.7. Additional information

The information is based on our current level of knowledge and is used to describe the product with regard to the safety precautions to be taken. They do not represent a guarantee of the properties of the product described.

It is the responsibility of the recipient of our product to observe existing laws and regulations.